

# Material Safety Data

Product Name: CYCLO PENTANE

긴급전화번호 (Emerhency Telephone Number) 061 - 688 - 6117 (24 hours)

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

1. Product

O Product Name: CYCLO PENTANE

○ UN NO.: 1146

2. Advisable use and Restriction

O Advisable use: Petroleum ether, fats and wax extracts, contained in paint

O Restriction: Do not handle until all safety precautions have been read and understood.

3. Manufacturer information

O Manufacture company: YEOCHUN NCC

O Address: 2 Yeosusandan-3ro(205-6,Pyeongyeo-dong), Yeosu, Jeollanam-Do, Korea (555-210)

○ Telephone: 82-61-688-6117

## 2. HAZARD IDENTIFICATION

- 1. Hazard classification
  - FLAMMABLE LIQUIDS Category 2
  - LONG-TERM AQUATIC HAZARD Category 2
- 2. Allocation label elements
  - O Symbol





- O Signal Word: Danger
- O Hazard statements

H225 Highly flammable liquid and vapour.

H411 Toxic to aquatic life with long lasting effects.

- O Precautionary statements
  - Prevention



P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### - Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370 + P378 In case of fire: Use alcohol foam, carbon dioxide or water spray for extinction.

P391 Collect spillage.

#### - Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### - Disposal

P501 Dispose of contents/container to (in accordance with local/ regional/ national/ international regulation)

#### 3. Other hazard information not included in hazard classification (NFPA)

Chemical Name	NFPA Level		
Chemical Name	Health	Flamm abliity	Reactivity
CYCLOPENTANE	1	3	0

## 3. INGREDIENT INFORMATION

Components	Common name	CAS No.	PCT(W%)
CYCLOPENTANE CYCLOPENTANE		287-92-3	95.5 ~ 100

## 4. FIRST AID MEASURES

## 1. Following eye contact

- Get medical aid immediately.
- In case of contact with material, immediately flush eyes with running water for at least 15 minutes.
- In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.
- Seek immediate medial assistance.

## 2. Following skin contact

- For hot product, immediately immerse in or flush the affected area with large amounts of cold water to dissipate heat.
- For minor skin contact, avoid spreading material on unaffected skin.
- Get medical aid immediately.
- In case of burns, immediately cool affected skin for as long as possible with cold water. Do not remove clothing if adhering to skin.



- In case of contact with material, immediately flush skin with running water for at least 15 minutes.
- In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.
- Launder contaminated clothing and shoes before re-use.
- Remove and isolate contaminated clothing and shoes.
- Seek immediate medial assistance.
- Wash skin with soap and water.
- 3. Following inhalation
  - Administer oxygen if breathing is difficult.
  - Give artificial respiration if victim is not breathing.
  - Keep victim warm and quiet.
  - Move to fresh air.
  - Seek immediate medial assistance.
- 4. Following ingestion
  - Get medical aid immediately.
  - If unconscious but breathing, never give anything by mouth.
  - Seek immediate medial assistance.
- 5. Advice to physician
  - Do not apply drugs of the adrenaline ephedrine group.
  - Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

## 5. FIRE FIGHTING MEASURES

- 1. Suitable/Unsuitable extinguishing media
  - O Suitable extinguishing media
    - CO2.
    - Dry chemical.
    - For mixtures containing alcohol or polar solvent: Alcohol-resistant foam.
    - Regular foam.
    - Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.
    - Use dry sand or earth to smother fire.
    - Water spray.
  - O Unsuitable extinguishing media
    - Direct water.
    - High-pressure water.
- 2. Specific hazards arising from the chemical
  - O Pyrolytic product
  - O Risk of fire and explosion
    - Can form explosive mixtures at temperatures at or above the flashpoint.
    - Containers may explode when heated.
    - Fire may produce irritating and/or toxic gases.
    - HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.
    - Highly flammable liquid and vapour.
    - May ignited from heat, friction or contamination.



- May violently polymerize and result in fire and explosion.
- Runoff may create fire or explosion hazard.
- Some may burn but none ignite readily.
- Vapor explosion hazard indoors, outdoors or in sewers.
- Vapors may form explosive mixtures with air.
- Vapors may travel to source of ignition and flash back.
- When heated, vapors may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards.
- 3. Special protective equipment for firefighters
  - Cautions; Most of liquids are lighter than water.
  - Contact may cause burns to skin and eyes.
  - Dike fire-control water for later disposal; do not scatter the material.
  - Evacuate area and fight fire from a safe distance.
  - Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.
  - Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out.
  - Fire involving Tanks: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
  - Fire involving Tanks: For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.
  - Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
  - Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).
  - Move containers from fire area if you can do it without risk.
  - Rescuers should put on appropriate protective gear.
  - Runoff may cause pollution.
  - Substance may be transported hot.

## 6. ACCIDENTAL RELEASE MEASURES

- 1. Health considerations and protective equipment
  - A vapor suppressing foam may be used to reduce vapors.
  - All equipment used when handling the product must be grounded.
  - Clean up spills immediately, observing precautions in Protective Equipment section.
  - Cover with plastic sheet to prevent spreading.
  - Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
  - Do not touch or walk through spilled material.
  - ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
  - Please note that materials and conditions to be avoided.
  - Stop leak if you can do it without risk.
  - The very fine particles can cause a fire or explosion, eliminate all ignition sources.
  - Ventilate the contaminated area.
- 2. Environmental precautions
  - Keep out of waterways.
  - Prevent entry into waterways, sewers, basements or confined areas.
- 3. For cleaning up
  - Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.



- Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container.

- Absorb the liquid and scrub the area with detergent and water.
- Dike and collect water used to fight fire.
- Large Spill: Dike far ahead of liquid spill for later disposal.
- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
- Small Spill: Flush area with flooding quantities of water.
- Use clean non-sparking tools to collect absorbed material.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

#### 7. HANDLING AND STORAGE

- 1. Precautions for safe handling
  - Avoid any skin and eye contact when insert undiluted solution. Wash ... thoroughly after handling.
  - Caution: Dangerous fire hazard when exposed to heat, or flame, sparks.
  - Use adequate machine for prevention when package handling.
  - Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)
- 2. Conditions for safe storage (including any incompatibilities)
  - Choose a place that can be protected from strong oxidizers and acid.
  - Drum Handling: Must work at safe place., Loading more than 3 stack is prohibited.
  - Store containers: AOID the place where can be damage and contamination.
  - Store in a cool/low-temperature, well-ventilated {dry} place {away from heat and ignition sources}

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

1. Exposure exposure limits, Biological exposure standard:

Components	Occupational exposure	ACGIH	Biological standard
CYCLOPENTANE	TWA: 600ppm	TWA 600 ppm	No data available

- 2. Appropriate engineering controls
  - Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
  - Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.
- 3. Personal protection equipment
  - O Respiratory protection
    - If high frequency of use or exposure, wear air respirator.
  - O Eye protection
    - Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
    - Provide emergency showers and eyewash.
    - Wear face shield to protect eyes from scattering dust or hazardous liquid.
    - Wear suitable protective goggles and face shields.



#### O Hand protection

- Wear Non-moisture permeable chemical resistance protective gloves(latex, nitrile rubber, PC) for prevent skin contact.
- Wear insulated gloves.
- Wear suitable protective gloves.

## O Body protection

- Wear suitable protective clothing.
- When contact is likely wear chemical resistant, oil and grease resistant, non-moisture permeable shoes and clothes.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear liquid
Odour	Characteristic smell
Odour threshold	No data available
pH Values	N/A
Melting point/freezing point	−93.3 ℃
Initial boiling point and boiling range	49.3 ℃(760 mm Hg)
Flash point	-25 ℃(1 013 hPa)
Evaporation rate	No data available
Flammability(solid, gas)	Flammable liquid
Upper/lower flammability or explosive limits	1.1~8.7 Vol %
Vapour pressure	3.666 x 10 kPa(366.6 hPa (20 °C))
Solubility(ies)	1.56 x 10^(-2) g/100mℓ (156 mg/ℓ (25°C, pH=7), Water)
Vapor Densities	2.42 (AIR = 1)
Relative density	0.75 (g/ml at 20 °C)
n-octanol/water partition coefficient	3 (25 °C, pH=7)(Log Kow)
Auto ignition temperature	320℃
Decomposition temperature	No data available
Viscosity	0.44 cP (mPa s, 20 °C)
Molecular weight(mass)	70.13

## 10. STABILITY AND REACTIVITY

- 1. Stability and hazardous reactivity
  - Can form explosive mixtures at temperatures at or above the flashpoint.
  - Containers may explode when heated.
  - Fire may produce irritating and/or toxic gases.
  - Fire may produce irritating, corrosive and/or toxic gases.



- HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.
- Highly flammable liquid and vapour.
- May cause toxic effects if inhaled.
- May violently polymerize and result in fire and explosion.
- When heated, vapors may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards.
- Runoff may create fire or explosion hazard.
- Some liquids produce vapors that may cause dizziness or suffocation.
- Some may burn but none ignite readily.
- Stable under normal temperatures and pressures.
- Vapor explosion hazard indoors, outdoors or in sewers.
- Vapors may form explosive mixtures with air.
- 2. Conditions to avoid
  - Ignition source(heat, spark, flame, etc.).
- 3. Materials to avoid
  - Combustibles, reducing material.
  - Irritating and/or toxic gas.
- 4. Hazardous decomposition products
  - Corrosive/toxic fume.
  - Irritating, corrosive and/or toxic gas.

### 11. TOXICOLOGICAL INFORMATION

- 1. Exposure route information
  - Oral, Dermal, Inhalation exposure is possible since Volatile liquid.
- 2. Health hazard information
  - \* No data of the product, thus data was described by the product component.
  - Acute toxicity
    - Oral PRODUCT : N/A
      - CYCLOPENTANE: N/A / LD50 > 5000 mg/kg (OECD Guideline 423) Rat
    - Dermal PRODUCT : No data
      - CYCLOPENTANE : No data
    - Inhalation-Gases PRODUCT: N/A
      - CYCLOPENTANE : N/A
    - Inhalation-Vapours PRODUCT: N/A
      - CYCLOPENTANE: N/A / LC50 > 25.3 mg/L/4h (OECD Guideline 403 GLP) Rat
    - Inhalation-Dust/mist PRODUCT: N/A
      - CYCLOPENTANE: N/A
  - O SKIN CORROSION/IRRITATION PRODUCT: N/A
    - CYCLOPENTANE: N/A / Not irritating Rabbit
  - O SERIOUS EYE DAMAGE/EYE IRRITATION PRODUCT : N/A
    - CYCLOPENTANE: N/A / Slightly irritating Rabbit
  - O RESPIRATORY SENSITIZATION PRODUCT : No data



- CYCLOPENTANE: No data
- O SKIN SENSITIZATION PRODUCT: N/A
  - CYCLOPENTANE: N/A / Not sensitising Guinea pig
- O CARCINOGENICITY PRODUCT : No data
  - CYCLOPENTANE : No data
    - · OSHA: No data
    - · Notice of Employment and Labor: No data
    - NTP: No dataIARC: No dataEU CLP: No dataACGIH: No data
- O GERM CELL MUTAGENICITY PRODUCT: N/A
  - CYCLOPENTANE: N/A / Negative Mouse
- O REPRODUCTIVE TOXICITY PRODUCT: N/A
  - CYCLOPENTANE: N/A / There were no adverse treatment regarding reproductive function. Rat
- O SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE PRODUCT: N/A
  - CYCLOPENTANE : N/A / Acute oral toxicity test using rats(female/male), no special symptoms found. (OECD TG 401,GLP)
- O SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE PRODUCT: N/A
  - CYCLOPENTANE: N/A / Acute oral toxicity test using rats(female/male), no special symptoms found. (OECD Guideline 413)
- O ASPIRATION HAZARD PRODUCT : No data
  - CYCLOPENTANE : No data

## 12. ECOLOGICAL INFORMATION

- 1. Aquatic toxicity PRODUCT
- ACUTE AQUATIC HAZARD: Not classified, LONG-TERM AQUATIC HAZARD: Category 2
  - Fish
    - CYCLOPENTANE: LC50 4.26 mg/L/96h Fish(Oncorhynchus mykiss(Static renewal, OECD Guideline 203, GLP))
  - Crustacea
    - CYCLOPENTANE: LC50 4.659 mg/L/48h Aquatic invertebrates(Daphnia sp.)
  - Aquatic algae
    - CYCLOPENTANE: EC50 3.415 mg/L/96h Aquatic algae(green algae)
- 2. Persistence and degradation
  - Degradation
    - CYCLOPENTANE : No data
  - n-octanol water partition coefficient
    - CYCLOPENTANE: 3 log Kow
- 3. Bioaccumulative potential
  - Bioaccumulation



- CYCLOPENTANE: No data
- Biodegradation
  - CYCLOPENTANE: 0 % 28 day (OECD TG301F, GLP)
- 4. Mobility in soil
  - Soil adsorption coefficient(Koc)
    - CYCLOPENTANE: koc 339
- 5. Other adverse effects
  - Hazardous to ozone layer
    - CYCLOPENTANE : N/A
  - Others
    - CYCLOPENTANE: LONG-TERM AQUATIC HAZARD Category 2

## 13. DISPOSAL CONSIDERATIONS

- 1. Disposal methods
  - Separating oil and water / Burning oil components / remaining water is treated in the water pollution control facilities.
  - Dispose of container and unused contents in accordance with all applicable regulations.
- 2. Precautions (including disposal of contaminated container of package)
  - Do not allow spill material to enter sewers, storn water drains, soil, etc.
  - Empty containers may explode and residues can be ignited when pressured, cut, weld, heated.
  - Empty containers may rupture when pressured.
  - Empty containers recycled under environmental laws.
  - Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)

## 14. TRANSPORT INFORMATION

- 1. UN No: 1146
- 2. Proper shipping name: CYCLOPENTANE
- 3. Class or division: 3
- 4. Packing group: II
- 5. Marine pollutant: Established
- 6. Special safety response for transportation or transportation measure:
  - Emergency measures in case of fire: F-E
  - O Emergency measures in the effluent : S-D

## 15. REGULATORY INFORMATION

- EU Classification (CLASSIFICATION) PRODUCT: Not established
  - CYCLOPENTANE: F; R11 R52-53
- EU Classification (Risk Phrases) PRODUCT: Not established
  - CYCLOPENTANE: R11, R52-53



● EU Classification (Safety Phrases) PRODUCT: Not established

CYCLOPENTANE: S:(2)-9-16-29-33-612006/507/EC PRODUCT: Not established

- CYCLOPENTANE : Not established

● 689/2008/EC PRODUCT: Not established

- CYCLOPENTANE: Not established

Designation, Reportable Quantities, and Notification PRODUCT: Not established

- CYCLOPENTANE: Not established

• Emergency Planning and Notification PRODUCT: Not established

- CYCLOPENTANE: Not established

● Toxic Chemical Release Reporting - Community Right-to-Know PRODUCT: Not established

- CYCLOPENTANE: Not established

Process Safety Management of Highly Hazardous Chemicals PRODUCT: Not established

- CYCLOPENTANE: Not established

## 16. OTHER INFORMATION

#### 1. Reference

- Company report
- Computor model
- HSDB
- OECD SIDS
- Publication
- Review article or handbook
- Secondary source
- Study report
- 2. Prepare date: 2011.03.07

#### 3. Revised date

0.0.0: 2011.03.07 1.0.0: 2012.10.05 2.0.0: 2017.03.16 2.1.0: 2017.06.26 3.0.0: 2018.01.31 4.0.0: 2020.12.01

#### 4. Other

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information giv-en is designed only as a guidance for safe handling, use, processing, storage, trans-portation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

